

From: [CMS MDROperations](#)
To: [CMS MDROperations](#)
Cc: [CMS MDROperations](#); [CMS MDROperations](#)
Subject: (Manufacturer Technical Contacts) CMS MDP File Formats Decimal Clarification
Date: Monday, April 19, 2021 2:43:02 PM
Importance: High

Dear Manufacturer Technical and Invoice Contacts:

We have recently received inquiries requesting further clarification on the forthcoming MDP file formats, specifically whether the decimal will still be implied. For all of our updated State and Manufacturer MDP file formats, the decimal will no longer be implied, but will be present and counted as a digit, e.g., the updated 15-digit URA will be 99999999.999999, 15 digits total, including the decimal. This logic will be applicable to all MDP file formats, with an implementation date of July 1, 2021.

As a reminder, all the current and forthcoming MDP file formats, along with all the corresponding MDP state/manufacturer emails are posted to Medicaid.gov at: <https://www.medicaid.gov/medicaid/prescription-drugs/medicaid-drug-rebate-program/medicaid-drug-rebate-program-medicaid-drug-program-file-formats-data-definitions-and-communications/index.html>.

Sincerely,
CMS MDR Operations

The information in this response is limited to and based upon the facts described in this email and any attachments provided and our understanding of the facts as described in the emails and attachments submitted. If a subsequent review by CMS, by the Office of Inspector General, or another authorized government agency determines or reveals that additional adjustments or revisions are necessary, the manufacturer is responsible for complying with that determination. This response cannot be considered an advisory opinion under section 1128D(b) of the Social Security Act, since only the Inspector General of the U.S. Department of Health and Human Services has been authorized to issue advisory opinions relating to health care fraud and abuse under that section. This response should not be interpreted as acquiescence by the Government to the arrangements described herein. Further, this response is not a release of any liability.