

## 2018 Core Set of Adult Health Care Quality Measures for Medicaid (Adult Core Set)

NQF #	Measure Steward	Measure Name
<b>Primary Care Access and Preventive Care</b>		
0032	NCQA	Cervical Cancer Screening (CCS-AD)
0033	NCQA	Chlamydia Screening in Women Ages 21–24 (CHL-AD)
0039	NCQA	Flu Vaccinations for Adults Ages 18 to 64 (FVA-AD)
0418/0418e	CMS	Screening for Depression and Follow-Up Plan: Age 18 and Older (CDF-AD)
2372	NCQA	Breast Cancer Screening (BCS-AD)
NA	NCQA	Adult Body Mass Index Assessment (ABA-AD)
<b>Maternal and Perinatal Health</b>		
0469/0469e	TJC	PC-01: Elective Delivery (PC01-AD)
0476	TJC	PC-03: Antenatal Steroids (PC03-AD)
1517*	NCQA	Prenatal and Postpartum Care: Postpartum Care (PPC-AD)
2902	OPA	Contraceptive Care – Postpartum Women Ages 21–44 (CCP-AD)
2903/2304	OPA	Contraceptive Care – All Women Ages 21–44 (CCW-AD)**
<b>Care of Acute and Chronic Conditions</b>		
0018	NCQA	Controlling High Blood Pressure (CBP-AD)
0057	NCQA	Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Testing (HA1C-AD)
0059	NCQA	Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (HPC-AD)
0272	AHRQ	PQI 01: Diabetes Short-Term Complications Admission Rate (PQI01-AD)
0275	AHRQ	PQI 05: Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate (PQI05-AD)
0277	AHRQ	PQI 08: Heart Failure Admission Rate (PQI08-AD)
0283	AHRQ	PQI 15: Asthma in Younger Adults Admission Rate (PQI15-AD)
1768	NCQA	Plan All-Cause Readmissions (PCR-AD)
1800	NCQA	Asthma Medication Ratio: Ages 19–64 (AMR-AD)**
2082	HRSA	HIV Viral Load Suppression (HVL-AD)
2371	NCQA	Annual Monitoring for Patients on Persistent Medications (MPM-AD)
<b>Behavioral Health Care</b>		
0004	NCQA	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET-AD)
0027	NCQA	Medical Assistance with Smoking and Tobacco Use Cessation (MSC-AD)
0105	NCQA	Antidepressant Medication Management (AMM-AD)
0576	NCQA	Follow-Up After Hospitalization for Mental Illness: Age 21 and Older (FUH-AD)
1932	NCQA	Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD-AD)
2605	NCQA	Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (FUA/FUM-AD)
2607	NCQA	Diabetes Care for People with Serious Mental Illness: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (HPCMI-AD)
2940	PQA	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD)
NA***	NCQA	Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA-AD)
NA	PQA	Concurrent Use of Opioids and Benzodiazepines (COB-AD)**

NQF #	Measure Steward	Measure Name
<b>Experience of Care</b>		
NA****	NCQA	Consumer Assessment of Healthcare Providers and Systems (CAHPS®) Health Plan Survey 5.0H, Adult Version (Medicaid) (CPA-AD)

\* This measure is no longer endorsed by NQF.

\*\* This measure was added to the 2018 Adult Core Set. More information on 2018 Updates to the Child and Adult Core Health Care Quality Measurement Sets is available at <https://www.medicaid.gov/federal-policy-guidance/downloads/cib111417.pdf>.

\*\*\* The Adult Core Set includes the NCQA version of the measure, which is adapted from the CMS measure (NQF #1879).

\*\*\*\* The Adult Core Set includes the NCQA version of the measure, which is adapted from the AHRQ measure (NQF #0006).

AHRQ = Agency for Healthcare Research & Quality; CMS = Centers for Medicare & Medicaid Services; HRSA = Health Resources and Services Administration; NA = Measure is not NQF endorsed; NCQA = National Committee for Quality Assurance; NQF = National Quality Forum; OPA = U.S. Office of Population Affairs; PQA = Pharmacy Quality Alliance; TJC = The Joint Commission.