

Performance Rates on Publicly Reported 2025 Child Core Set Measures

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Behavioral Health Care						
Follow-Up After Emergency Department Visit for Substance Use: Ages 13 to 17 (FUA-CH)	Percentage of Emergency Department (ED) Visits for Substance Use Disorder (SUD) or Drug Overdose with a Follow-Up Visit Within 7 Days of the ED Visit: Ages 13 to 17	46	23.1	20.7	17.3	29.4
Follow-Up After Emergency Department Visit for Substance Use: Ages 13 to 17 (FUA-CH)	Percentage of Emergency Department (ED) Visits for Substance Use Disorder (SUD) or Drug Overdose with a Follow-Up Visit Within 30 Days of the ED Visit: Ages 13 to 17	50	35.3	33.0	29.6	42.4
Follow-Up After Emergency Department Visit for Mental Illness: Ages 6 to 17 (FUM-CH)	Percentage of Emergency Department (ED) Visits with a Principal Diagnosis of Mental Illness or Intentional Self-Harm with a Follow-Up Visit Within 7 Days of the ED Visit: Ages 6 to 17	52	52.0	49.9	42.7	60.3
Follow-Up After Emergency Department Visit for Mental Illness: Ages 6 to 17 (FUM-CH)	Percentage of Emergency Department (ED) Visits with a Principal Diagnosis of Mental Illness or Intentional Self-Harm with a Follow-Up Visit Within 30 Days of the ED Visit: Ages 6 to 17	52	69.3	68.9	61.7	75.5
Follow-Up After Hospitalization for Mental Illness: Ages 6 to 17 (FUH-CH)	Percentage of Discharges for Children Hospitalized for Treatment of Selected Mental Illness or Intentional Self-Harm Diagnoses with a Follow-Up Visit Within 7 Days after Discharge: Ages 6 to 17	51	47.8	47.8	39.6	58.1
Follow-Up After Hospitalization for Mental Illness: Ages 6 to 17 (FUH-CH)	Percentage of Discharges for Children Hospitalized for Treatment of Selected Mental Illness or Intentional Self-Harm Diagnoses with a Follow-Up Visit Within 30 Days after Discharge: Ages 6 to 17	52	69.7	70.4	62.2	78.0

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Behavioral Health Care (continued)						
Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication (ADD-CH)	Percentage Newly Prescribed ADHD Medication with at Least One Follow-Up Visit During the 30-Day Initiation Phase: Ages 6 to 12	52	47.3	47.6	41.1	53.7
Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication (ADD-CH)	Percentage Newly Prescribed ADHD Medication with at Least Two Follow-Up Visits in the 9-Month Continuation and Maintenance Phase: Ages 6 to 12	50	54.6	55.5	48.1	61.2
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP-CH)	Percentage who had a New Prescription for an Antipsychotic Medication and had Documentation of Psychosocial Care as First-Line Treatment: Ages 1 to 11	51	60.8	59.2	54.1	66.2
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP-CH)	Percentage who had a New Prescription for an Antipsychotic Medication and had Documentation of Psychosocial Care as First-Line Treatment: Ages 12 to 17	52	64.0	63.8	59.3	70.2
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP-CH)	Percentage who had a New Prescription for an Antipsychotic Medication and had Documentation of Psychosocial Care as First-Line Treatment: Ages 1 to 17	52	62.9	61.4	58.6	69.6
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)	Percentage with Two or More Antipsychotic Prescriptions that had Metabolic Testing for Blood Glucose: Ages 1 to 11	52	44.8	42.5	36.9	48.7
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)	Percentage with Two or More Antipsychotic Prescriptions that had Metabolic Testing for Blood Glucose: Ages 12 to 17	52	60.0	60.8	56.0	63.2
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)	Percentage with Two or More Antipsychotic Prescriptions that had Metabolic Testing for Blood Glucose: Ages 1 to 17	52	55.1	54.4	50.4	59.0
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)	Percentage with Two or More Antipsychotic Prescriptions that had Metabolic Testing for Cholesterol: Ages 1 to 11	50	33.0	30.7	24.6	37.4

Performance Rates on Publicly Reported 2025 Child Core Set Measures (continued)

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Behavioral Health Care (continued)						
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)	Percentage with Two or More Antipsychotic Prescriptions that had Metabolic Testing for Cholesterol: Ages 12 to 17	52	38.2	37.7	31.9	43.4
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)	Percentage with Two or More Antipsychotic Prescriptions that had Metabolic Testing for Cholesterol: Ages 1 to 17	52	36.0	34.8	29.7	41.8
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)	Percentage with Two or More Antipsychotic Prescriptions that had Metabolic Testing for Blood Glucose and Cholesterol: Ages 1 to 11	50	31.3	29.1	23.7	35.5
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)	Percentage with Two or More Antipsychotic Prescriptions that had Metabolic Testing for Blood Glucose and Cholesterol: Ages 12 to 17	52	37.0	36.3	30.8	42.2
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)	Percentage with Two or More Antipsychotic Prescriptions that had Metabolic Testing for Blood Glucose and Cholesterol: Ages 1 to 17	52	34.8	32.9	28.3	40.1
Screening for Depression and Follow-Up Plan: Ages 12 to 17 (CDF-CH)	Percentage Screened for Depression and, if Positive, Provided a Follow-Up Plan: Ages 12 to 17	46	6.8	1.8	0.8	9.7
Primary Care Access and Preventive Care						
Well-Child Visits in the First 30 Months of Life (W30-CH)	Percentage of Children who had 6 or More Well-Child Visits with a Primary Care Practitioner during the First 15 Months of Life	52	57.6	60.6	51.6	64.7
Well-Child Visits in the First 30 Months of Life (W30-CH)	Percentage of Children who had 2 or More Well-Child Visits with a Primary Care Practitioner during the 15th to 30th Months of Life	52	68.5	69.8	64.1	74.4

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Primary Care Access and Preventive Care (continued)						
Child and Adolescent Well-Care Visits (WCV-CH)	Percentage with at Least 1 Well-Care Visit with a Primary Care Practitioner or Obstetrician/Gynecologist: Ages 3 to 11	52	57.8	58.8	52.7	65.4
Child and Adolescent Well-Care Visits (WCV-CH)	Percentage with at Least 1 Well-Care Visit with a Primary Care Practitioner or Obstetrician/Gynecologist: Ages 12 to 17	52	51.7	52.0	44.8	58.8
Child and Adolescent Well-Care Visits (WCV-CH)	Percentage with at Least 1 Well-Care Visit with a Primary Care Practitioner or Obstetrician/Gynecologist: Ages 18 to 21	52	29.6	28.2	24.5	35.4
Child and Adolescent Well-Care Visits (WCV-CH)	Percentage with at Least 1 Well-Care Visit with a Primary Care Practitioner or Obstetrician/Gynecologist: Ages 3 to 21	52	51.8	52.0	46.2	58.8
Childhood Immunization Status (CIS-CH)	Percentage who had a Measles, Mumps, and Rubella (MMR) Vaccination by Their Second Birthday	51	81.3	82.6	78.2	86.1
Childhood Immunization Status (CIS-CH)	Percentage who had at Least Two Flu Vaccinations by Their Second Birthday	51	32.4	30.6	25.6	37.3
Childhood Immunization Status (CIS-CH)	Percentage Up to Date on Recommended Immunizations (Combination 3) by Their Second Birthday ^a	51	56.4	60.2	49.5	65.5
Childhood Immunization Status (CIS-CH)	Percentage Up to Date on Recommended Immunizations (Combination 10) by Their Second Birthday ^b	51	23.6	23.7	17.2	27.1
Immunizations for Adolescents (IMA-CH)	Percentage who Completed the Human Papillomavirus (HPV) Vaccine Series by Their 13th Birthday	51	34.6	33.7	30.5	40.3
Immunizations for Adolescents (IMA-CH)	Percentage Up to Date on Recommended Immunizations (Combination 1) by Their 13th Birthday ^c	51	72.3	75.9	64.3	82.8
Lead Screening in Children (LSC-CH)	Percentage who had One or More Capillary or Venous Lead Blood Test for Lead Poisoning by Their Second Birthday	52	58.5	63.3	40.1	73.9
Developmental Screening in the First Three Years of Life (DEV-CH)	Percentage Screened for Risk of Developmental, Behavioral, and Social Delays Using a Standardized Screening Tool: Ages 0 to 3	51	43.0	40.4	31.3	54.3

Performance Rates on Publicly Reported 2025 Child Core Set Measures (continued)

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Primary Care Access and Preventive Care (continued)						
Chlamydia Screening in Women Ages 16 to 20 (CHL-CH)	Percentage of Sexually Active Women Screened for Chlamydia: Ages 16 to 20	52	47.5	46.6	38.0	55.7
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC-CH)	Percentage with an Outpatient Visit and Body Mass Index Percentile Documented in the Medical Record: Ages 3 to 17	51	53.6	58.9	27.5	82.3
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC-CH)	Percentage with an Outpatient Visit and Counseling for Nutrition Documented in the Medical Record: Ages 3 to 17	51	43.0	35.2	16.5	72.8
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC-CH)	Percentage with an Outpatient Visit and Counseling for Physical Activity Documented in the Medical Record: Ages 3 to 17	51	40.3	28.7	11.7	70.4
Maternal and Perinatal Health						
Prenatal and Postpartum Care: Under Age 21 (PPC2-CH)	Percentage of Women Under Age 21 Delivering a Live Birth with a Prenatal Care Visit in the First Trimester, on or before the Enrollment Start Date, or within 42 Days of Enrollment in Medicaid or CHIP	50	64.0	67.0	53.7	77.9
Prenatal and Postpartum Care: Under Age 21 (PPC2-CH)	Percentage of Women Under Age 21 Delivering a Live Birth who had a Postpartum Care Visit on or Between 7 and 84 Days after Delivery	50	61.5	66.1	50.3	72.3
Live Births Weighing Less Than 2,500 Grams (LBW-CH)	Percentage of Live Births Weighing Less Than 2,500 Grams [Lower rates are better]	54	10.3	10.3	11.3	9.2
Low-Risk Cesarean Delivery: Under Age 20 (LRCD-CH)	Percentage of Nulliparous, Term, Singleton, in a Cephalic Presentation Births to Mothers Under Age 20 Delivered by Cesarean [Lower rates are better]	50	15.3	14.9	16.6	13.3

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Maternal and Perinatal Health (continued)						
Contraceptive Care - Postpartum Women Ages 15 to 20 (CCP-CH)	Percentage of Postpartum Women with a Live Birth Provided a Most Effective or Moderately Effective Method of Contraception Within 3 Days of Delivery: Ages 15 to 20	42	7.4	5.8	4.2	8.7
Contraceptive Care - Postpartum Women Ages 15 to 20 (CCP-CH)	Percentage of Postpartum Women with a Live Birth Provided a Most Effective or Moderately Effective Method of Contraception Within 90 Days of Delivery: Ages 15 to 20	50	47.8	49.3	42.8	52.4
Contraceptive Care - Postpartum Women Ages 15 to 20 (CCP-CH)	Percentage of Postpartum Women with a Live Birth Provided a Long-Acting Reversible Method of Contraception Within 3 Days of Delivery: Ages 15 to 20	37	4.7	3.4	2.4	5.4
Contraceptive Care - Postpartum Women Ages 15 to 20 (CCP-CH)	Percentage of Postpartum Women with a Live Birth Provided a Long-Acting Reversible Method of Contraception Within 90 Days of Delivery: Ages 15 to 20	49	21.2	20.4	18.1	23.7
Contraceptive Care - All Women Ages 15 to 20 (CCW-CH)	Percentage of All Women at Risk of Unintended Pregnancy Provided a Most Effective or Moderately Effective Method of Contraception: Ages 15 to 20	52	22.0	22.7	16.5	27.0
Contraceptive Care - All Women Ages 15 to 20 (CCW-CH)	Percentage of All Women at Risk of Unintended Pregnancy Provided a Long-Acting Reversible Method of Contraception: Ages 15 to 20	52	3.5	3.3	2.6	4.3
Care of Acute and Chronic Conditions						
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis: Ages 3 Months to 17 Years (AAB-CH)	Percentage of Episodes for Children with a Diagnosis of Acute Bronchitis/Bronchiolitis that did not Result in an Antibiotic Dispensing Event: Ages 3 Months to 17 Years	52	71.5	71.3	65.4	79.2

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Care of Acute and Chronic Conditions (continued)						
Asthma Medication Ratio: Ages 5 to 18 (AMR-CH)	Percentage with Persistent Asthma who had a Ratio of Controller Medications to Total Asthma Medications of 0.50 or Greater: Ages 5 to 11	52	69.9	70.8	60.6	78.1
Asthma Medication Ratio: Ages 5 to 18 (AMR-CH)	Percentage with Persistent Asthma who had a Ratio of Controller Medications to Total Asthma Medications of 0.50 or Greater: Ages 12 to 18	52	66.6	66.1	58.9	73.7
Asthma Medication Ratio: Ages 5 to 18 (AMR-CH)	Percentage with Persistent Asthma who had a Ratio of Controller Medications to Total Asthma Medications of 0.50 or Greater: Ages 5 to 18	52	68.3	68.8	59.9	75.5
Dental and Oral Health Care Services						
Oral Evaluation, Dental Services (OEV-CH)	Percentage of Enrolled Children Under Age 21 Who Received a Comprehensive or Periodic Oral Evaluation: Age < 3	52	22.5	23.1	15.8	27.1
Oral Evaluation, Dental Services (OEV-CH)	Percentage of Enrolled Children Under Age 21 Who Received a Comprehensive or Periodic Oral Evaluation: Ages 3 to 5	52	50.7	53.2	44.6	58.0
Oral Evaluation, Dental Services (OEV-CH)	Percentage of Enrolled Children Under Age 21 Who Received a Comprehensive or Periodic Oral Evaluation: Ages 6 to 14	52	54.5	56.2	50.6	61.0
Oral Evaluation, Dental Services (OEV-CH)	Percentage of Enrolled Children Under Age 21 Who Received a Comprehensive or Periodic Oral Evaluation: Ages 15 to 20	52	38.5	39.9	34.1	43.9
Oral Evaluation, Dental Services (OEV-CH)	Percentage of Enrolled Children Under Age 21 Who Received a Comprehensive or Periodic Oral Evaluation: Total (< Age 21)	52	45.7	46.8	42.6	52.1

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Dental and Oral Health Care Services (continued)						
Topical Fluoride for Children (TFL-CH)	Percentage of Enrolled Children who Received at Least Two Topical Fluoride Applications as Dental or Oral Health Services: Ages 1 to 2	52	16.7	15.3	11.0	19.9
Topical Fluoride for Children (TFL-CH)	Percentage of Enrolled Children who Received at Least Two Topical Fluoride Applications as Dental or Oral Health Services: Ages 3 to 5	52	26.9	27.1	21.9	31.8
Topical Fluoride for Children (TFL-CH)	Percentage of Enrolled Children who Received at Least Two Topical Fluoride Applications as Dental or Oral Health Services: Ages 6 to 14	52	27.6	27.5	23.3	31.8
Topical Fluoride for Children (TFL-CH)	Percentage of Enrolled Children who Received at Least Two Topical Fluoride Applications as Dental or Oral Health Services: Ages 15 to 20	52	14.4	14.2	9.3	17.3
Topical Fluoride for Children (TFL-CH)	Percentage of Enrolled Children who Received at Least Two Topical Fluoride Applications as Dental or Oral Health Services: Total (Ages 1 through 20)	52	23.0	23.4	18.5	26.3
Sealant Receipt on Permanent First Molars (SFM-CH)	Percentage who Received a Sealant on at Least One Permanent First Molar Tooth by Their 10th Birthday	52	50.2	53.7	43.5	59.2
Sealant Receipt on Permanent First Molars (SFM-CH)	Percentage who Received Sealants on All Four Permanent First Molars by Their 10th Birthday	52	35.1	37.6	30.0	41.4
Experience of Care						
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected They "Always" Got Needed Care, on a Four-Point Scale Ranging from "Never" to "Always": General Child (GC) Population Ages 0 to 17	51	60.9	61.5	57.1	65.6

Performance Rates on Publicly Reported 2025 Child Core Set Measures (continued)

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Experience of Care (continued)						
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected They "Usually" or "Always" Got Needed Care, on a Four-Point Scale Ranging from "Never" to "Always": General Child (GC) Population Ages 0 to 17	51	83.9	85.4	81.1	87.1
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected They "Always" Got Care Quickly, on a Four-Point Scale Ranging from "Never" to "Always": General Child (GC) Population Ages 0 to 17	51	69.8	70.5	65.7	74.2
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected They "Usually" or "Always" Got Care Quickly, on a Four-Point Scale Ranging from "Never" to "Always": General Child (GC) Population Ages 0 to 17	51	86.6	86.7	84.5	88.8
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected that Their Doctor Communicates Well "Always," on a Four-Point Scale Ranging from "Never" to "Always": General Child (GC) Population Ages 0 to 17	51	79.7	79.4	77.0	82.2

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Experience of Care (continued)						
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected that Their Doctor Communicates Well "Usually" or "Always," on a Four-Point Scale Ranging from "Never" to "Always": General Child (GC) Population Ages 0 to 17	51	94.4	94.6	93.2	95.6
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected Their Health Plan Customer Service "Always" Gave Helpful Information and Was Courteous and Respectful, on a Four-Point Scale Ranging from "Never" to "Always": General Child (GC) Population Ages 0 to 17	43	69.1	69.3	67.2	71.5
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected Their Health Plan Customer Service "Usually" or "Always" Gave Helpful Information and Was Courteous and Respectful, on a Four-Point Scale Ranging from "Never" to "Always": General Child (GC) Population Ages 0 to 17	43	89.1	89.2	87.8	90.4
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected Their Personal Doctor "Always" Seemed Informed and Up-to-Date about Care from Other Providers, on a Four-Point Scale Ranging from "Never" to "Always": General Child (GC) Population Ages 0 and 17	45	62.9	63.8	59.2	66.2

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Experience of Care (continued)						
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected Their Personal Doctor "Usually" or "Always" Seemed Informed and Up-to-Date about Care from Other Providers, on a Four-Point Scale Ranging from "Never" to "Always": General Child (GC) Population Ages 0 and 17	45	85.4	85.8	84.1	88.3
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Personal Doctor a "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: General Child (GC) Population Ages 0 to 17	51	77.6	78.0	75.7	79.6
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Personal Doctor a "8", "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: General Child (GC) Population Ages 0 to 17	51	90.5	90.8	89.4	91.8
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Specialist a "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: General Child (GC) Population Ages 0 to 17	40	73.8	74.2	70.4	76.8

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Experience of Care (continued)						
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Specialist a "8", "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: General Child (GC) Population Ages 0 to 17	40	87.3	87.5	85.9	89.3
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Health Care a "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: General Child (GC) Population Ages 0 to 17	51	70.0	70.4	66.6	74.1
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Health Care a "8", "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: General Child (GC) Population Ages 0 to 17	51	87.1	87.3	85.9	88.9
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Health Plan a "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: General Child (GC) Population Ages 0 to 17	51	72.6	73.4	69.2	76.5

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Experience of Care (continued)						
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Health Plan a "8", "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: General Child (GC) Population Ages 0 to 17	51	86.6	87.5	85.0	88.6
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected They "Always" Got Needed Care, on a Four-Point Scale Ranging from "Never" to "Always": Children with Chronic Conditions (CCC) Population Ages 0 to 17	44	57.9	57.6	54.2	62.1
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected They "Usually" or "Always" Got Needed Care, on a Four-Point Scale Ranging from "Never" to "Always": Children with Chronic Conditions (CCC) Population Ages 0 to 17	44	84.9	85.0	82.1	87.3
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected They "Always" Got Care Quickly, on a Four-Point Scale Ranging from "Never" to "Always": Children with Chronic Conditions (CCC) Population Ages 0 to 17	44	71.1	71.9	66.8	75.9

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Experience of Care (continued)						
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected They "Usually" or "Always" Got Care Quickly, on a Four-Point Scale Ranging from "Never" to "Always": Children with Chronic Conditions (CCC) Population Ages 0 to 17	44	89.7	90.3	87.7	92.5
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected that Their Doctor Communicates Well "Always," on a Four-Point Scale Ranging from "Never" to "Always": Children with Chronic Conditions (CCC) Population Ages 0 to 17	43	79.5	80.2	77.1	82.0
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected that Their Doctor Communicates Well "Usually" or "Always," on a Four-Point Scale Ranging from "Never" to "Always": Children with Chronic Conditions (CCC) Population Ages 0 to 17	43	94.4	94.6	93.0	95.6
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected Their Health Plan Customer Service "Always" Gave Helpful Information and Was Courteous and Respectful, on a Four-Point Scale Ranging from "Never" to "Always": Children with Chronic Conditions (CCC) Population Ages 0 to 17	25	70.4	70.5	67.0	72.3

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Experience of Care (continued)						
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected Their Health Plan Customer Service "Usually" or "Always" Gave Helpful Information and Was Courteous and Respectful, on a Four-Point Scale Ranging from "Never" to "Always": Children with Chronic Conditions (CCC) Population Ages 0 to 17	25	89.4	89.6	88.4	91.0
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected Their Personal Doctor "Always" Seemed Informed and Up-to-Date about Care from Other Providers, on a Four-Point Scale Ranging from "Never" to "Always": Children with Chronic Conditions (CCC) Population Ages 0 and 17	35	60.2	60.3	56.6	63.6
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Selected Their Personal Doctor "Usually" or "Always" Seemed Informed and Up-to-Date about Care from Other Providers, on a Four-Point Scale Ranging from "Never" to "Always": Children with Chronic Conditions (CCC) Population Ages 0 and 17	35	84.8	85.4	82.2	87.4
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Personal Doctor a "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: Children with Chronic Conditions (CCC) Population Ages 0 to 17	45	76.3	76.6	74.0	78.8

Performance Rates on Publicly Reported 2025 Child Core Set Measures (continued)

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Experience of Care (continued)						
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Personal Doctor a "8", "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: Children with Chronic Conditions (CCC) Population Ages 0 to 17	45	89.2	89.6	88.2	90.5
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Specialist a "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: Children with Chronic Conditions (CCC) Population Ages 0 to 17	33	72.4	73.5	67.7	75.5
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Specialist a "8", "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: Children with Chronic Conditions (CCC) Population Ages 0 to 17	33	86.3	86.8	84.1	87.9
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Health Care a "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: Children with Chronic Conditions (CCC) Population Ages 0 to 17	44	66.3	67.9	62.7	69.9

Performance Rates on Publicly Reported 2025 Child Core Set Measures (continued)

Measure Name	Rate Definition	Number of States Reporting Using Core Set Specifications	State Mean	State Median	Bottom Quartile	Top Quartile
Experience of Care (continued)						
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Health Care a "8", "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: Children with Chronic Conditions (CCC) Population Ages 0 to 17	44	85.1	85.7	83.6	87.2
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Health Plan a "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: Children with Chronic Conditions (CCC) Population Ages 0 to 17	45	66.0	66.1	63.1	70.8
Consumer Assessment of Healthcare Providers and Systems (CAHPS) Health Plan Survey 5.1H - Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Percentage whose Caregiver Rated Their Health Plan a "8", "9" or "10" on a Scale from 0 to 10, with 10 Representing the Highest Score: Children with Chronic Conditions (CCC) Population Ages 0 to 17	45	82.5	82.4	81.1	85.2
Provisional Child Measures^d						
Prenatal Immunization Status: Under Age 21 (PRS-CH)	Percentage of Deliveries to Beneficiaries Under Age 21 with an Influenza Vaccine by the Delivery Date	28	24.2	22.6	18.0	30.4
Prenatal Immunization Status: Under Age 21 (PRS-CH)	Percentage of Deliveries to Beneficiaries Under Age 21 with a Tdap Vaccine by the Delivery Date	28	54.3	56.0	44.1	66.2
Prenatal Immunization Status: Under Age 21 (PRS-CH)	Percentage of Deliveries to Beneficiaries Under Age 21 with Recommended Immunizations (Influenza and Tdap) by the Delivery Date	27	20.0	18.1	13.8	25.3
Oral Evaluation During Pregnancy: Ages 15 to 20 (OEPV-CH)	Percentage of Enrolled Persons Ages 15 to 20 with Live-Birth Deliveries who Received a Comprehensive or Periodic Oral Evaluation During Pregnancy	29	23.8	20.7	15.5	30.1

Sources: Mathematica analysis of the Quality Measure Reporting (QMR) system reports for the 2025 Core Set as of April 28, 2026; Centers for Disease Control and Prevention Wide-ranging Online Data for Epidemiologic Research (CDC WONDER) data as of October 30, 2025; and Agency for Healthcare Research and Quality (AHRQ) and Centers for Medicare & Medicaid Services (CMS) analysis of the AHRQ CAHPS Database for the July 2024 to June 2025 data collection period as of January 20, 2026.

Notes: The term “states” includes the 50 states, the District of Columbia, Guam, Puerto Rico, and U.S. Virgin Islands.

This table includes measures that were reported by at least 25 states for the 2025 Child Core Set and that met CMS standards for data quality. The 2025 Core Set generally corresponds to services provided in calendar year 2024. This table includes data for states that indicated they used Child Core Set specifications to report the measures. It excludes states that indicated they used “other specifications,” did not report the measures for the 2025 Core Set, or if they reported a denominator of less than 30. Additionally, some states were excluded because data cannot be displayed per the CMS cell-size suppression policy, which prohibits the direct reporting of data for beneficiary and record counts of 1 to 10 and values from which users can derive values of 1 to 10. State means are calculated as the unweighted average of all state rates. When a state reported separate rates for its Medicaid and CHIP populations, the state mean and state median rates were calculated using the rate that is most representative of the state's measure-eligible population, typically the combined Medicaid and CHIP rate. State- and measure-level performance data are available at <https://www.medicaid.gov/medicaid/quality-of-care/core-set-data-dashboard/main>.

^a Combination 3 includes four doses of diphtheria, tetanus, and acellular pertussis (DTaP) vaccines, three doses of polio vaccine (IPV), one dose of MMR vaccine, three doses of haemophilus influenza type B (HiB) vaccine, three doses of hepatitis B (Hep B) vaccine, one dose of varicella zoster virus (VZV) vaccine, and four doses of pneumococcal conjugate vaccine (PCV).

^b Combination 10 rate includes the vaccines included in the Combination 3 rate plus one hepatitis A (Hep A) vaccine, two or three rotavirus (RV) vaccines, and two influenza vaccines.

^c Combination 1 includes one dose of meningococcal vaccine and one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine.

^d The OEVP-CH and PRS-CH measures are provisional measures for 2025 reporting. Provisional measures are voluntary and are not considered part of the 2025 Child Set. For more information, see <https://www.medicaid.gov/federal-policy-guidance/downloads/sho24001.pdf>.