

Technical Assistance Webinar to Support State Reporting of the Child, Adult, and Health Home Core Sets: FFY 2020 Updates and Reporting Resources

April 2020

Presented by Isabel Platt, Caroline Margiotta,
Patricia Rowan, and Alli Steiner, Mathematica

Objectives

- Review major updates to the 2020 Child, Adult, and Health Home Core Sets
- Review notable changes to technical specifications
- Preview FFY 2020 data quality priorities
- Discuss technical assistance resources available to states

Please note: There will be another webinar in the fall about MACPro updates.

Opportunities for Q&A and Technical Assistance

Questions about FFY 2020 Core Set reporting and requests for technical assistance can be submitted through the evaluation form at the end of the webinar or through the TA mailbox, MACQualityTA@cms.hhs.gov

FFY 2020 Child, Adult, and Health Home Core Set Updates

Updates to the FFY 2020 Child, Adult, and Health Home Core Sets

Core Set(s)	Measures Added for FFY 2020
Child	Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)
Adult & Health Home	Use of Pharmacotherapy for Opioid Use Disorder (OUD-AD/HH)
Adult	National Core Indicators (NCI) (NCIDDS-AD)
Health Home	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA-HH) <ul style="list-style-type: none"> • Also in the Adult Core Set as of FFY 2017
Measure Modified for FFY 2020	
Child	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC-CH) <ul style="list-style-type: none"> • Added new indicators for Counseling for Nutrition and Counseling for Physical Activity
Measures Retired for FFY 2020	
Child	Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC-CH)
Child	Children and Adolescents' Access to Primary Care Practitioners (CAP-CH)
Child	Pediatric Central Line–Associated Bloodstream Infections (CLABSI-CH)
Adult	Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Testing (HA1C-AD)
Adult	Annual Monitoring for Patients on Persistent Medications (MPM-AD)

Updates to the FFY 2020 Core Sets were announced in two November 2019 Informational Bulletins, available at the following links:

- Child and Adult Core Sets: <https://www.medicaid.gov/sites/default/files/Federal-Policy-Guidance/Downloads/cib111919.pdf>
- Health Home Core Set: <https://www.medicaid.gov/sites/default/files/Federal-Policy-Guidance/Downloads/cib112719.pdf>



New Child Core Set Measure: Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)

Description	Percentage of children ages 1 to 17 who had two or more antipsychotic prescriptions and had the following forms of metabolic testing: <ul style="list-style-type: none">• Blood glucose testing• Cholesterol testing• Both blood glucose and cholesterol testing
Measure Steward	National Committee for Quality Assurance (NCQA)
Data Source	Administrative
Denominator	Beneficiaries ages 1 to 17 with at least two antipsychotic medication dispensing events of the same or different medications on different dates of service.
Numerators	<ul style="list-style-type: none">• Beneficiaries who received at least one test for blood glucose during the measurement year.• Beneficiaries who received at least one test for LDL-C or cholesterol during the measurement year.• Beneficiaries who received at least one test for blood glucose AND at least one test for LDL-C or cholesterol during the measurement year.

New Adult and Health Home Core Set Measure: Use of Pharmacotherapy for Opioid Use Disorder (OUD-AD/HH)

Description	<p>Percentage of Medicaid beneficiaries ages 18 to 64 with an opioid use disorder (OUD) who filled a prescription for or were administered or dispensed an FDA-approved medication for the disorder during the measurement year. Five rates are reported:</p> <ul style="list-style-type: none">• A total (overall) rate capturing any medications used in medication assisted treatment of opioid dependence and addiction.• Four separate rates representing the following types of FDA-approved drug products:<ul style="list-style-type: none">- Buprenorphine- Oral naltrexone- Long-acting, injectable naltrexone- Methadone
Measure Steward	Centers for Medicare & Medicaid Services (CMS)
Data Source	Administrative

Continued on next slide.

New Adult and Health Home Core Set Measure: Use of Pharmacotherapy for Opioid Use Disorder (OUD-AD/HH) (cont.)

Denominator	Beneficiaries who had at least one encounter with a diagnosis of opioid abuse, dependence, or remission (primary or other) at any time during the measurement year.
Numerators	<p>This measure includes a total rate as well as four separate rates representing the following four types of FDA-approved drugs:</p> <ul style="list-style-type: none"> • Total: Beneficiaries who had evidence of at least one prescription filled, or were administered or dispensed an FDA-approved medication for OUD during the measurement year. • Buprenorphine: Beneficiaries with at least one prescription for buprenorphine at any point during the measurement year. • Oral naltrexone: Beneficiaries with at least one prescription for oral naltrexone at any point during the measurement year. • Long-acting, injectable naltrexone: Beneficiaries with at least one prescription for long-acting, injectable naltrexone at any point during the measurement year. • Methadone: Beneficiaries with at least one dose of methadone at any point during the measurement year.
Additional Information	<ul style="list-style-type: none"> • Value sets for this measure are available at https://www.medicaid.gov/medicaid/quality-of-care/downloads/2020-adult-non-hedis-value-set-directory.zip.

New Adult Core Set Measure: National Core Indicators (NCIDDS-AD)

Description	The National Core Indicators® (NCI®) provide information on beneficiaries' experience and self-reported outcomes of long-term services and supports for individuals with intellectual and developmental disabilities (ID/DD) and their families. NCI includes an in-person survey, family surveys for parents and guardians of adults and children who receive ID/DD supports, and a staff stability survey. For the purpose of the Adult Core Set, only data from the NCI In-Person Survey will be reported.
Background	47 states already participate in NCI through their developmental disabilities agencies. For more information about the survey, as well as a list of participating states, visit the NCI website at https://www.nationalcoreindicators.org/ .
Measure Steward	National Association of State Directors of Developmental Disabilities Services (NASDDDS) and Human Services Research Institute (HSRI)

Continued on next slide.

New Adult Core Set Measure: National Core Indicators (NCIDDS-AD) (cont.)

Data Source	Survey
Data Collection	Survey must be conducted by the state or a state-contracted third-party vendor according to NCI requirements and protocols. In-person data collection is required for the face-to-face portion of the NCI In-Person Survey. Surveyors must follow protocols established in NCI trainings and training materials.
Eligible Population	Beneficiaries age 18 and older with intellectual and developmental disabilities receiving at least one service from the state-administered Developmental Disabilities system in addition to case management.
Data Submission	CMS plans to use data submitted to NASDDDS/HSRI to report state-level performance results for this measure.

New Health Home Core Set Measure: Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA-HH)*

Description	Percentage of emergency department (ED) visits for Health Home enrollees age 13 and older with a principal diagnosis of alcohol or other drug (AOD) abuse or dependence who had a follow-up visit with a corresponding principal diagnosis for AOD abuse or dependence.
Measure Steward	National Committee for Quality Assurance (NCQA)
Data Source	Administrative
Denominator	ED visits for Health Home enrollees age 13 and older with a principal diagnosis of AOD abuse or dependence on or between January 1 and December 1 of the measurement year.
Numerators	<ul style="list-style-type: none"> • 7-Day Follow-Up: Follow-up visit with any practitioner, with a principal diagnosis of AOD abuse or dependence within 7 days after the ED visit (8 total days). • 30-Day Follow-Up: Follow-up visit with any practitioner, with a principal diagnosis of AOD abuse or dependence within 30 days after the ED visit (31 total days).

* The Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA-AD) measure for age 18 and older was added to the Adult Core Set for FFY 2017, and has been added to the Health Home Core Set for age 13 and older as FUA-HH for FFY 2020.



Modified Child Core Set Measure: Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC-CH)

Description	<p>Percentage of children ages 3 to 17 who had an outpatient visit with a primary care practitioner (PCP) or obstetrician/gynecologist (OB/GYN) and who had evidence of the following during the measurement year:</p> <ul style="list-style-type: none"> • Body mass index (BMI) percentile documentation • Counseling for nutrition (New Indicator) • Counseling for physical activity (New Indicator)
Measure Steward	National Committee for Quality Assurance (NCQA)
Data Source	Administrative, Hybrid, or EHR
Denominator	Beneficiaries ages 3 to 17 with an outpatient visit with a PCP or an OB/GYN during the measurement year.
Numerators	<ul style="list-style-type: none"> • Beneficiaries with documentation of BMI percentile during the measurement year. • Beneficiaries with documentation of counseling for nutrition during the measurement year. (New Indicator) • Beneficiaries with documentation of counseling for physical activity during the measurement year. (New Indicator)

FFY 2020 Measure Specification Updates

Cross-cutting Measure Specification Updates

- Modified the format of medication lists and/or value sets for compatibility with digital measure formatting for the following measures:
 - AMR-CH/AD, BCS-AD, CBP-AD/HH, CCS-AD, CIS-CH, FUH-CH/AD/HH, HPC-AD, HPCMI-AD, IMA-CH, SAA-AD, SSD-AD
- Added a bullet about how to access medication lists, available to order free of charge in the NCQA Store (<http://store.ncqa.org/index.php/catalog/product/view/id/3741/s/hedis-2020-ndc>). Use of the medication lists applies to the following measures:
 - ADD-CH, AMM-AD, AMR-CH/AD, APM-CH, APP-CH, BCS-AD, CBP-AD/HH, CHL-CH/AD, HPC-AD, HPCMI-AD, IET-AD/HH, SAA-AD, SSD-AD.

Cross-cutting Measure Specification Updates (cont.)

- Clarified that when determining continuous enrollment and allowable gaps, states should combine data across all programs, delivery systems, and managed care plans.
- Added exclusions for beneficiaries with advanced illness and modified value sets for the following measures:
 - BCS-AD, CBP-AD/HH, HPC-AD, HPCMI-AD, SAA-AD
- Added guidance for determining whether telehealth is eligible for use in reporting. Measures based on HEDIS specifications include telehealth unless otherwise specified.

Cross-cutting Measure Specification Updates (cont.)

- Measures with changes to age ranges from FFY 2019 to FFY 2020

Measure	Previous (FFY 2019)	Current (FFY 2020)
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP-CH)	<ul style="list-style-type: none"> Ages 1 to 5 Ages 6 to 11 Ages 12 to 17 Total: Ages 1 to 17 	<ul style="list-style-type: none"> <u>Ages 1 to 11</u> Ages 12 to 17 Total: Ages 1 to 17
Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA-AD)	<ul style="list-style-type: none"> Ages 19 to 64 	<ul style="list-style-type: none"> <u>Age 18 and older</u>

Measure-specific Updates: Cervical Cancer Screening (CCS-AD)

	Previous (FFY 2019)	Current (FFY 2020)
Numerator	<ul style="list-style-type: none"> • Women ages 21 to 64 who had cervical cancer screening in the last 3 years • Women ages 30 to 64 who had cervical cytology / HPV co-testing in the last 5 years 	<ul style="list-style-type: none"> • Women ages 21 to 64 who had cervical cancer screening in the last 3 years • Women ages 30 to 64 who had cervical <u>high-risk HPV (hrHPV)</u> testing in the last 5 years • Women ages 30 to 64 who had cervical cytology/ <u>hrHPV</u> co-testing within the last 5 years

Measure-specific Updates:

Prenatal and Postpartum Care: Timeliness of Prenatal Care (PPC-CH) and Postpartum Care (PPC-AD)

	Previous (FFY 2019)	Current (FFY 2020)
Timing of event/diagnosis (live birth)	<u>November 6</u> of the year prior to the measurement year to <u>November 5</u> of the measurement year	<u>October 8</u> of the year prior to the measurement year to <u>October 7</u> of the measurement year
Numerator	<ul style="list-style-type: none"> PPC-CH: <u>exclude</u> prenatal care visits occurring before enrollment start date PPC-AD: include postpartum visits on or between <u>21 and 56 days</u> after delivery 	<ul style="list-style-type: none"> PPC-CH: <u>include</u> prenatal care visits occurring before enrollment start date PPC-AD: include postpartum visits on or between <u>7 and 84 days</u> after delivery
Continuous enrollment criteria	<u>56 days</u> after delivery	<u>60 days</u> after delivery

Measure-specific Updates: Screening for Depression and Follow-Up Plan (CDF-CH, CDF-AD, and CDF-HH)

- Clarified that:
 - The measure is intended to promote screening of patients never previously diagnosed with depression or bipolar disorder, so any enrollee with an “active diagnosis” for depression or bipolar disorder would be excluded from the measure.
 - An active diagnosis starts prior to the start of the encounter, and may or may not have an end date.
 - If recommended follow-up includes additional screening, that screening must occur at the same encounter as the initial positive screen. An additional screen alone does not count toward a valid follow-up intervention.
- Added examples of a follow-up plan that meets numerator criteria, including:
 - Additional evaluation or assessment for depression
 - Completion of a Suicide Risk Assessment
 - Referral to a practitioner or program for further evaluation for depression
 - Other interventions to treat depression, including psychotherapy and pharmacological interventions

Measure-specific Updates: Plan All-Cause Readmissions (PCR-AD and PCR-HH)

Major Changes

- Added observation stays to the definition of index hospital stays (IHS) and 30-day readmission events.
- Defined outlier beneficiaries as individuals with 4+ IHS during the measurement year (Jan 1- Dec 1).
- Removed outlier beneficiaries and their discharges from the risk-adjusted measure rates.
- Added the following new data elements to capture the outlier beneficiaries that were removed:
 - Count of Beneficiaries in Medicaid Population
 - Count of Outlier Beneficiaries
 - Outlier Rate

Measure-specific Updates: Plan All-Cause Readmissions (PCR-AD and PCR-HH) (cont.)

Other Updates

- Modified risk-adjustment weighting process to incorporate observation stay IHS weights and remove base risk weights.
- Clarified that clinical conditions and hierarchical clinical conditions not listed in the risk-adjustment tables receive a weight of zero.
- Added acute and non-acute inpatient discharges to guidance on Utilization Risk Adjustment Determination.
- Added guidance on calculating risk-adjusted readmission rates as well as new data elements.

Measure-specific Updates: Plan All-Cause Readmissions (PCR-AD and PCR-HH) (cont.)

- States should exclude outlier beneficiaries from reporting of existing risk-adjusted readmission rates.

(1) Count of Index Hospital Stays	(2) Count of Observed 30-Day Readmissions	(3) Observed Readmission Rate Col. 3 = Col. 2/Col. 1	(4) Count of Expected 30-Day Readmissions	(5) Expected Readmission Rate Col. 5 = Col. 4/Col. 1	(6) Observed-to-Expected (O/E) Ratio Col. 6 = Col. 2/Col. 4
State reports data element	State reports data element	Data element calculated by MACPro	State reports data element	Data element calculated by MACPro	Data element calculated by MACPro

- States should include outlier beneficiaries in reporting of new data elements.

(7) Count of Beneficiaries in Medicaid Population	(8) Number of Outliers (Count of Outlier Beneficiaries)	(9) Outlier Rate Col. 9 = Col. 8 / Col. 7
State reports data element	State reports data element	Data element calculated by MACPro

FFY 2020 Data Quality Priorities

Data Quality Considerations

- **Overview of data quality considerations for FFY 2020 Core Set reporting**
 - Data completeness
 - Data accuracy
 - Data consistency
 - Data documentation
- **Data quality checklists for each Core Set can be found on Medicaid.gov**
 - Child Core Set: <https://www.medicaid.gov/medicaid/quality-of-care/downloads/child-data-quality-checklist.pdf>
 - Adult Core Set: <https://www.medicaid.gov/medicaid/quality-of-care/downloads/adult-data-quality-checklist.pdf>
 - Health Home Core Set: <https://www.medicaid.gov/state-resource-center/health-home-information-resource-center/downloads/data-quality-checklist-for-states-2020.pdf>

FFY 2020 Data Quality Priorities

- Documentation of how states calculated a state-level rate across multiple reporting units
 - If reporting units used different methodologies (for example, several MCOs used administrative data only and several used the hybrid method), note the number of reporting units using each methodology in the “Additional Notes/Comments on Measure” section.
 - Under the section “Combined Rates from Multiple Reporting Units,” indicate whether the state-level rates are weighted by population size.
 - Similar guidance applies to creating a SPA-level rate for the Health Home Core Set.
 - Additional guidance on calculating a state-level or SPA-level rate is available at <https://www.medicaid.gov/medicaid/quality-of-care/downloads/state-level-rates-brief.pdf>.



FFY 2020 Data Quality Priorities (cont.)

- Documentation of which populations and services are excluded from the measures
 - Programs (Medicaid, CHIP)
 - Delivery systems (managed care, fee-for-service, PCCM)
 - Special populations (for example, dual eligibles or individuals in foster care)
 - Health care settings (for example, services provided at federally-qualified health centers, rural health clinics, or Indian Health Service facilities)
 - If your state cannot include some measure-eligible populations, please describe the missing population and the size of the excluded population



FFY 2020 Data Quality Priorities (cont.)

- Alignment between measures included in the Child, Adult, and Health Home Core Sets
 - Ensure that cross-cutting measures are calculated using consistent methodology
 - Ensure that cross-cutting measures are reported for all applicable Core Sets
- Documentation of any deviations from the Core Set specifications, including age groups, data sources, and methods
- Documentation of any changes in populations, denominators, or rates between reporting years



Technical Assistance Resources

Resources for FFY 2020 Child Core Set Reporting

Resource	Medicaid.gov Link
FFY 2020 Core Set Resource Pages	https://www.medicaid.gov/medicaid/quality-of-care/quality-of-care-performance-measurement/adult-and-child-health-care-quality-measures/child-core-set-reporting-resources/index.html
FFY 2020 Core Set Measure List	https://www.medicaid.gov/medicaid/quality-of-care/downloads/performance-measurement/2020-child-core-set.pdf
FFY 2020 Resource Manual and Technical Specifications	https://www.medicaid.gov/medicaid/quality-of-care/downloads/medicaid-and-chip-child-core-set-manual.pdf
Summary of updates to the resource manual and technical specifications for FFY 2020	https://www.medicaid.gov/medicaid/quality-of-care/downloads/child-core-set-updates.pdf
FFY 2020 Data Quality Checklist	https://www.medicaid.gov/medicaid/quality-of-care/downloads/child-data-quality-checklist.pdf
FFY 2020 Measurement Period Table	https://www.medicaid.gov/medicaid/quality-of-care/downloads/ffy-2020-child-core-set-measurement-periods.pdf

Resources for FFY 2020 Adult Core Set Reporting

Resource	Medicaid.gov Link
FFY 2020 Core Set Resource Pages	https://www.medicaid.gov/medicaid/quality-of-care/quality-of-care-performance-measurement/adult-and-child-health-care-quality-measures/adult-core-set-reporting-resources/index.html
FFY 2020 Core Set Measure List	https://www.medicaid.gov/medicaid/quality-of-care/downloads/performance-measurement/2020-adult-core-set.pdf
FFY 2020 Resource Manual and Technical Specifications	https://www.medicaid.gov/medicaid/quality-of-care/downloads/medicaid-adult-core-set-manual.pdf
Summary of updates to the resource manual and technical specifications for FFY 2020	https://www.medicaid.gov/medicaid/quality-of-care/downloads/adult-core-set-updates.pdf
FFY 2020 Data Quality Checklist	https://www.medicaid.gov/medicaid/quality-of-care/downloads/adult-data-quality-checklist.pdf
FFY 2020 Measurement Period Table	https://www.medicaid.gov/medicaid/quality-of-care/downloads/ffy-2020-adult-core-set-measurement-periods.pdf

Resources for FFY 2020 Health Home Core Set Reporting

Resource	Medicaid.gov Link
FFY 2020 Core Set Resource Pages	https://www.medicaid.gov/resources-for-states/medicaid-state-technical-assistance/health-home-information-resource-center/health-home-quality-reporting/index.html
FFY 2020 Core Set Measure List	https://www.medicaid.gov/state-resource-center/medicaid-state-technical-assistance/health-home-information-resource-center/downloads/2020-health-home-core-set.pdf
FFY 2020 Resource Manual and Technical Specifications	https://www.medicaid.gov/state-resource-center/health-home-information-resource-center/downloads/FFY-2020-HH-Core-Set-Manual.pdf
Summary of updates to the resource manual and technical specifications for FFY 2020	https://www.medicaid.gov/state-resource-center/medicaid-state-technical-assistance/health-home-information-resource-center/downloads/hh-change-summary-2020.pdf
FFY 2020 Data Quality Checklist	https://www.medicaid.gov/state-resource-center/health-home-information-resource-center/downloads/data-quality-checklist-for-states-2020.pdf
FFY 2020 Measurement Period Table	https://www.medicaid.gov/state-resource-center/health-home-information-resource-center/downloads/hh-core-set-measurement-period-table-2020.pdf
FFY 2020 Health Home Expected Reporting Table	https://www.medicaid.gov/state-resource-center/medicaid-state-technical-assistance/health-home-information-resource-center/downloads/health-home-reporting-table.pdf

Additional Resources for FFY 2020 Child, Adult, and Health Home Core Set Reporting

Measure(s)	Resource
All	Updated: Calculating State-Level Rates Using Data from Multiple Reporting Units (https://www.medicaid.gov/medicaid/quality-of-care/downloads/state-level-rates-brief.pdf)
All	Using the Hybrid Method to Calculate Measures from the Child and Adult Core Sets (https://www.medicaid.gov/medicaid/quality-of-care/downloads/hybrid-brief.pdf)
AIF-HH	New: Guidance for Calculating the Admission to an Institution from the Community Measure (https://www.medicaid.gov/state-resource-center/downloads/2020-aif-hh-core-set.pdf)
CBP-AD/HH	New: Changes to the Controlling High Blood Pressure (CBP) Measure Fact Sheet (https://www.medicaid.gov/medicaid/quality-of-care/downloads/CBP-Fact-Sheet.pdf)
COB-AD, FUA-AD/HH, IET-AD/HH, OHD-AD, OUD-AD/HH	Updated: Overview of Substance Use Disorder Measures Fact Sheet (https://www.medicaid.gov/medicaid/quality-of-care/downloads/performance-measurement/factsheet-sud-adult-core-set.pdf)
PCR-AD/HH	Updated: Guidance for Calculating the Plan All-Cause Readmissions Measures (https://www.medicaid.gov/medicaid/quality-of-care/downloads/performance-measurement/pcr-resource.pdf)
CCP-CH/AD, CCW-CH/AD	SAS code for calculating contraceptive measures (https://www.hhs.gov/opa/performance-measures/claims-data-sas-program-instructions/index.html)
PQI01-AD, PQI05-AD, PQI08-AD, PQI15-AD, PQI92-HH	Free software for calculating the PQI measures (https://www.qualityindicators.ahrq.gov/Software/Default.aspx) <i>Note that the PQI measures in the Adult Core Set are reported as a rate per 100,000 beneficiary/enrollee months (not per 100,000 beneficiaries/enrollees)</i>
SEAL-CH	TA Brief, sample SAS code, and user guide for calculating the Dental Sealant measure (https://www.medicaid.gov/sites/default/files/2019-12/sealant-measure-brief.pdf) <i>Note that the SAS code and user guide are available upon request.</i>

Technical Assistance (TA) for FFY 2020 Core Set Reporting

- To raise questions or request technical assistance based on the webinar, please complete the evaluation form before you leave the webinar and we will follow up with you.

After the webinar:

- For TA related to calculating, reporting, or using the Core Set measures, submit your questions to the TA Mailbox at MACqualityTA@cms.hhs.gov
- For assistance with using MACPro, contact MACPro_Helpdesk@cms.hhs.gov

Thank you for viewing the webinar.

Reminder: Please complete the brief evaluation form as you leave the webinar.

Appendix A: 2020 Core Set Measure Lists

2020 Child Core Set Measures

NQF #	Measure Steward	Measure Name	Data Collection Method
Primary Care Access and Preventive Care			
0024	NCQA	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC-CH)*	Administrative, hybrid, or EHR
0033	NCQA	Chlamydia Screening in Women Ages 16 to 20 (CHL-CH)	Administrative or EHR
0038	NCQA	Childhood Immunization Status (CIS-CH)	Administrative, hybrid, or EHR
0418/0418e	CMS	Screening for Depression and Follow-Up Plan: Ages 12 to 17 (CDF-CH)^	Administrative or EHR
1392	NCQA	Well-Child Visits in the First 15 Months of Life (W15-CH)	Administrative or hybrid
1407	NCQA	Immunizations for Adolescents (IMA-CH)	Administrative or hybrid
1448**	OHSU	Developmental Screening in the First Three Years of Life (DEV-CH)	Administrative or hybrid
1516	NCQA	Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34-CH)	Administrative or hybrid
NA	NCQA	Adolescent Well-Care Visits (AWC-CH)	Administrative or hybrid
Maternal and Perinatal Health			
0471	TJC	PC-02: Cesarean Birth (PC02-CH)	Hybrid
1360	CDC	Audiological Diagnosis No Later Than 3 Months of Age (AUD-CH)	EHR
1382	CDC	Live Births Weighing Less Than 2,500 Grams (LBW-CH)	State vital records
1517**	NCQA	Prenatal and Postpartum Care: Timeliness of Prenatal Care (PPC-CH)	Administrative or hybrid
2902	OPA	Contraceptive Care – Postpartum Women Ages 15 to 20 (CCP-CH)	Administrative
2903/2904	OPA	Contraceptive Care – All Women Ages 15 to 20 (CCW-CH)	Administrative

(continued on next slide)

2020 Child Core Set Measures (cont.)

NQF #	Measure Steward	Measure Name	Data Collection Method
Care of Acute and Chronic Conditions			
1800	NCQA	Asthma Medication Ratio: Ages 5 to 18 (AMR-CH)	Administrative
NA	NCQA	Ambulatory Care: Emergency Department (ED) Visits (AMB-CH)	Administrative
Behavioral Health Care			
0108	NCQA	Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication (ADD-CH)^	Administrative or EHR
0576	NCQA	Follow-Up After Hospitalization for Mental Illness: Ages 6 to 17 (FUH-CH)^	Administrative
2800	NCQA	Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-CH)***^	Administrative
2801	NCQA	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP-CH)^	Administrative
Dental and Oral Health Services			
2508**	DQA (ADA)	Dental Sealants for 6–9 Year-Old Children at Elevated Caries Risk (SEAL-CH)	Administrative
NA	CMS	Percentage of Eligibles Who Received Preventive Dental Services (PDENT-CH)	Administrative (Form CMS-416)
Experience of Care			
NA****	NCQA	Consumer Assessment of Healthcare Providers and Systems (CAHPS®) Health Plan Survey 5.0H – Child Version Including Medicaid and Children with Chronic Conditions Supplemental Items (CPC-CH)	Survey

* This measure was modified for the 2020 Core Set. The Counseling for Nutrition and Counseling for Physical Activity indicators were added to this measure for the 2020 Child Core Set. Prior Core Sets included only the Body Mass Index (BMI) Percentile Documentation indicator.

** This measure is no longer endorsed by NQF.

*** This measure was added to the 2020 Child Core Set. More information on 2020 Updates to the Child and Adult Core Health Care Quality Measurement Sets is available at <https://www.medicaid.gov/federal-policy-guidance/downloads/cib111919.pdf>.

**** The Child Core Set includes the NCQA version of the measure, which is adapted from the AHRQ measure (NQF #0006).

^ This measure is part of the Behavioral Health Core Set. The complete list of 2020 Behavioral Health Core Set measures is available at <https://www.medicaid.gov/medicaid/quality-of-care/downloads/performance-measurement/2020-bh-core-set.pdf>.



2020 Adult Core Set Measures

NQF #	Measure Steward	Measure Name	Data Collection Method
Primary Care Access and Preventive Care			
0032	NCQA	Cervical Cancer Screening (CCS-AD)	Administrative, hybrid, or EHR
0033	NCQA	Chlamydia Screening in Women Ages 21 to 24 (CHL-AD)	Administrative or EHR
0039	NCQA	Flu Vaccinations for Adults Ages 18 to 64 (FVA-AD)	Survey
0418/0418e	CMS	Screening for Depression and Follow-Up Plan: Age 18 and Older (CDF-AD)^	Administrative or EHR
2372	NCQA	Breast Cancer Screening (BCS-AD)	Administrative or EHR
NA	NCQA	Adult Body Mass Index Assessment (ABA-AD)	Administrative or hybrid
Maternal and Perinatal Health			
0469/0469e	TJC	PC-01: Elective Delivery (PC01-AD)	Hybrid or EHR
1517*	NCQA	Prenatal and Postpartum Care: Postpartum Care (PPC-AD)	Administrative or hybrid
2902	OPA	Contraceptive Care – Postpartum Women Ages 21 to 44 (CCP-AD)	Administrative
2903/2904	OPA	Contraceptive Care – All Women Ages 21 to 44 (CCW-AD)	Administrative
Care of Acute and Chronic Conditions			
0018	NCQA	Controlling High Blood Pressure (CBP-AD)	Administrative, hybrid, or EHR
0059	NCQA	Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (HPC-AD)	Administrative, hybrid, or EHR
0272	AHRQ	PQI 01: Diabetes Short-Term Complications Admission Rate (PQI01-AD)	Administrative
0275	AHRQ	PQI 05: Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate (PQI05-AD)	Administrative
0277	AHRQ	PQI 08: Heart Failure Admission Rate (PQI08-AD)	Administrative
0283	AHRQ	PQI 15: Asthma in Younger Adults Admission Rate (PQI15-AD)	Administrative
1768	NCQA	Plan All-Cause Readmissions (PCR-AD)	Administrative
1800	NCQA	Asthma Medication Ratio: Ages 19 to 64 (AMR-AD)	Administrative
2082/3210e	HRSA	HIV Viral Load Suppression (HVL-AD)	Administrative or EHR

(continued on next slide)

2020 Adult Core Set Measures (cont.)

NQF #	Measure Steward	Measure Name	Data Collection Method
Behavioral Health Care			
0004	NCQA	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET-AD) [^]	Administrative or EHR
0027	NCQA	Medical Assistance with Smoking and Tobacco Use Cessation (MSC-AD) [^]	Survey
0105	NCQA	Antidepressant Medication Management (AMM-AD) [^]	Administrative or EHR
0576	NCQA	Follow-Up After Hospitalization for Mental Illness: Age 18 and Older (FUH-AD) [^]	Administrative
1932	NCQA	Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD-AD) [^]	Administrative
2607	NCQA	Diabetes Care for People with Serious Mental Illness: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (HPCMI-AD) [^]	Administrative or hybrid
2940	PQA	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [^]	Administrative
3389	PQA	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [^]	Administrative
3400	CMS	Use of Pharmacotherapy for Opioid Use Disorder (OUD-AD) ^{***}	Administrative
3488 ^{***}	NCQA	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA-AD) [^]	Administrative
3489 ^{***}	NCQA	Follow-Up After Emergency Department Visit for Mental Illness (FUM-AD) [^]	Administrative
NA ^{****}	NCQA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA-AD) [^]	Administrative
Experience of Care			
NA ^{*****}	NCQA	Consumer Assessment of Healthcare Providers and Systems (CAHPS®) Health Plan Survey 5.0H, Adult Version (Medicaid) (CPA-AD)	Survey
Long-Term Services & Supports			
NA	NASDDDS/ HSRI	National Core Indicators Survey (NCIDDS-AD) ^{**}	Survey

* This measure is no longer endorsed by NQF.

** This measure was added to the 2020 Adult Core Set. More information on 2020 Updates to the Child and Adult Core Health Care Quality Measurement Sets is available at <https://www.medicaid.gov/federal-policy-guidance/downloads/cib111919.pdf>.

*** The NQF number for the FUA-AD and FUM-AD measures was previously listed as 2605. These measures now have separate NQF numbers but are the same measures included in the FFY 2019 Adult Core Set.

**** The Adult Core Set includes the NCQA version of the measure, which is adapted from the CMS measure (NQF #1879).

***** The Adult Core Set includes the NCQA version of the measure, which is adapted from the AHRQ measure (NQF #0006).

[^] This measure is part of the Behavioral Health Core Set. The complete list of 2020 Behavioral Health Core Set measures is available at <https://www.medicaid.gov/medicaid/quality-of-care/downloads/performance-measurement/2020-bh-core-set.pdf>.



2020 Health Home Core Set Measures

NQF #	Measure Steward	Measure Name	Data Collection Method
Core Set Measures			
0004	NCQA	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET-HH)	Administrative or EHR
0018	NCQA	Controlling High Blood Pressure (CBP-HH)	Administrative, hybrid, or EHR
0418/0418e	CMS	Screening for Depression and Follow-Up Plan (CDF-HH)	Administrative or EHR
0576	NCQA	Follow-Up After Hospitalization for Mental Illness (FUH-HH)	Administrative
1768	NCQA	Plan All-Cause Readmissions (PCR-HH)	Administrative
3400	CMS	Use of Pharmacotherapy for Opioid Use Disorder (OUD-HH)*	Administrative
3488	NCQA	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA-HH)*	Administrative
NA	NCQA	Adult Body Mass Index Assessment (ABA-HH)	Administrative or hybrid
NA	AHRQ	Prevention Quality Indicator (PQI) 92: Chronic Conditions Composite (PQI92-HH)	Administrative
Utilization Measures			
NA	CMS	Admission to an Institution from the Community (AIF-HH)	Administrative
NA	NCQA	Ambulatory Care: Emergency Department (ED) Visits (AMB-HH)	Administrative
NA	CMS	Inpatient Utilization (IU-HH)	Administrative

* This measure was added to the 2020 Health Home Core Set. More information on new substance use disorder (SUD) quality measures in the Health Home Core Set is available at <https://www.medicaid.gov/federal-policy-guidance/downloads/cib112719.pdf>.