

MACPro

Medicaid & CHIP Program System

Medicaid and CHIP Program (MACPro) System

Maternal and Infant Health (MIH)

Quality Measure Report

State User In-System Demonstration

December 8, 2015

Agenda



- ◆ Technical Assistance to Support Reporting on the MIH Initiative Developmental Measures for FFY 2015
- ◆ What is MACPro?
- ◆ Overview of Creating, Reviewing, and Submitting Maternal and Infant Health Initiative Developmental Measures Reports
- ◆ Step-by-Step In-System Demonstration
- ◆ Help Desk/Technical Assistance
- ◆ Next Steps
- ◆ Questions?

Technical Assistance to Support Reporting on the Maternal and Infant Health Initiative Developmental Measures for FFY 2015

Road Map

- CMCS Maternal and Infant Health Initiative (MIHI) Developmental Quality Measures: Contraception Utilization by Women (global and postpartum)
- CMS's Focus on Data Quality
- TA Resources to Support State Reporting of the MIHI Measures
- Questions and Answers

CMCS Maternal and Infant Health Initiative

In July 2014, CMCS launched a Maternal and Infant Health Initiative in collaboration with states to:

- 1) Increase the rate and content of postpartum visits; and
- 2) Increase the use of effective methods of contraception in Medicaid and CHIP.

In order to gather more data on the second Initiative goal, states are encouraged to uniformly collect and report on new developmental quality measures.

Use of Contraceptive Methods By Women Ages 15–44: All Women (Global)

Percentage of female clients ages 15 through 44 who are at risk of unintended pregnancy* that adopt or continue the use of FDA-approved methods of contraception that are:

1.	Most effective or Moderately effective	<ul style="list-style-type: none">• Male or female sterilization• Intrauterine devices/system (IUD or IUS)• Contraceptive implants• Injectables• Oral pills, patch, ring• Diaphragm
2.	Long-acting reversible contraception	<ul style="list-style-type: none">• IUD or IUS• Contraceptive implants

*Women who are at risk of unintended pregnancy are those who have ever had sex, are fecund, and are not pregnant or seeking pregnancy.

Use of Contraceptive Methods By Women Ages 15–44: Postpartum

Among women ages 15 through 44 who had a live birth, the percentage that use methods of contraception within 3 and 60 days of delivery that are:

1.	Most effective or Moderately effective	<ul style="list-style-type: none">• Male or female sterilization• IUD or IUS• Contraceptive implants• Injectables• Oral pills, patch, ring• Diaphragm
2.	Long-acting reversible contraception	<ul style="list-style-type: none">• IUD or IUS• Contraceptive implants

Reporting Maternal and Infant Health Initiative Measures

- For federal fiscal year (FFY) 2015 reporting, states can choose to submit data on up to 2 Maternal and Infant Health Initiative Developmental Measures in MACPro.
- States that received the MIHI grant are required to report on the global measure.
- Rates for both measures (global and postpartum) are reported based on two age stratifications: ages 15–20 and 21–44.
- At their option, states may stratify rates by race, primary spoken language, disability status, or geography.



CMS's Focus on Data Quality

CMS's Focus on Data Quality for FFY 2015

- MACPro contains built-in data quality checks to facilitate data completeness, accuracy, consistency, and documentation
- Areas of focus for FFY 2015
 - Reporting of delivery systems included in and excluded from the rates
 - Reporting of start and end dates
- Data quality outreach will be integrated with MACPro's Seek More Information (SMI) functionality.

Data Completeness Reporting Tips: Overview

- Report Numerators, Denominators, and Rates for all components of the measures the state chooses to report
- Include all measure-eligible enrollees in the Denominator
 - If your state cannot include some enrollees, please describe the missing population in the Additional Notes/Comments section in MACPro
- If your state is unable to report a rate for a measure, please explain why the rate is unavailable in the text box in MACPro associated with that rate

Data Completeness Reporting Tips: Delivery System Data Fields

Delivery System Data Fields

- For each measure: Select all delivery systems in your state that serve the measure-eligible population
 - For each delivery system, report the percentage of *that* delivery system included in the data for the measure
 - If your state’s data include managed care enrollees, report the number of managed care plans that are included

State	Delivery Systems Serving Measure-Eligible Population	Proportion of Delivery System Enrollees Included in Data for Measure	How to Report in MACPro
State A	FFS Managed Care	FFS: All Managed Care: Half	Select FFS: Enter 100% Select Managed care: Enter 50%
State B	FFS Managed Care	FFS: All Managed Care: None	Select FFS: Enter 100% Select Managed care: Enter 0%

- States can also report the delivery systems used for the state’s total Medicaid population in the “Delivery System” section on the Admin Screen in MACPro.

Data Accuracy and Consistency Reporting Tips

- Reporting rates in MACPro
 - The MIHI Measures are based on administrative data only: MACPro will automatically calculate rates based on the reported numerators and denominators. States should check these auto-calculated rates against the rates they calculated
- Data entry errors can be easy to make (such as transposed numbers, missing numbers, reporting in the wrong data field). Please review your data entry or ask staff members who produced the data to review the completed data before finalizing your state's report
- Confirm that data and notes are consistent within and across measures

Data Documentation Reporting Tips: Overview

- If your state deviated from any aspect of the specifications for a measure, please report the deviations in the Deviations from Measurement Specifications section in MACPro. For each deviation, please describe how your state's methods differed from the measure specifications.

Data Documentation Reporting Tips: Start Date and End Date Fields

- For each measure, states should report the measurement period used to calculate the denominator in the “Start Date” and “End Date” fields
 - The denominator measurement period for FFY 2015 corresponds to calendar year 2014
- States should explain any deviations from the specified measurement period for the denominator or numerator of a measure in the Additional Notes/Comments section in MACPro

TA Resources to Support State Reporting of the Developmental Measures

Resources for FFY 2015 MIHI Reporting

- FFY 2015 Technical Specifications:
 - [Link to FFY 2015 Technical Specifications for all women, global](#)
 - [Link to FFY 2015 Technical Specifications for postpartum](#)
- FFY 2015 MIHI Developmental Measures Reporting Template
 - [Link to FFY 2015 MIHI Developmental Measures Reporting Template](#)
- Additional TA resources:
 - [Link to Additional TA resources](#)
 - [Link to FFY 2015 MIHI Data Quality Checklist](#)
 - SAS code and background on interpreting the measures are available on request through the TA mailbox is MACQualityTA@cms.hhs.gov.

TA Contacts for FFY 2015 MIHI Reporting

- For TA related to calculating, reporting, or using the measures, submit your questions to the TA Mailbox at MACQualityTA@cms.hhs.gov
- For assistance with using MACPro, contact MACPro_Helpdesk@cms.hhs.gov



Questions?

What is MACPro?

What is MACPro?



- ◆ A web-based system for the submission, review, disposition, and management support of Medicaid and CHIP initiatives
 - ◆ Quality Measures Reporting
 - ◆ State Plan Amendments (SPA)
 - ◆ Waivers
 - ◆ Demonstrations
 - ◆ Advance Planning Documents

- ◆ System for reporting Maternal and Infant Health Initiative Developmental Measures

Background on MACPro



- ◆ Why is MACPro being implemented?
 - ◆ To improve the state reporting and federal review processes, federal program management, and transparency
 - ◆ To support data-driven decision making for Medicaid and CHIP programs through online access to data and information

MACPro

Medicaid & CHIP Program System

MACPro Quality Measures State User Roles



- ◆ MACPro has numerous distinct state user roles
- ◆ MACPro roles determine users' range of available actions and responsibilities
- ◆ MACPro roles differ from those currently used in other CMS web-based systems (e.g., CARTS, MMDL, WMS)

MACPro Quality Measures State User Roles



- ◆ State Editor (SE)
 - ◆ Builds quality measures reports



- ◆ State Point of Contact (SPOC)
 - ◆ Reviews and edits reports

- ◆ State Director (SDIR)
 - ◆ Reviews, certifies, and submits reports


- ◆ State System Administrator (State Admin)
 - ◆ Approves and modifies state user roles

Overview of Creating, Reviewing, and Submitting Quality Measure Reports

MACPro Quality Measures Report Creation: State Submission




State Quality Measures Report Detail Workflow




In-System Demonstration


State Quality Measures Report Detail Workflow



State Quality Measures Report Detail Workflow



State Quality Measures Report Detail Workflow



Help Desk and Technical Assistance

Help Desk and Technical Assistance



- ◆ For issues related to MACPro access and how to use the MACPro system
 - ◆ Contact the *MACPro Help Desk* at
 - ◆ **Email:** MACPro_Helpdesk@cms.hhs.gov
 - ◆ **Phone:** 301-547-4688
- ◆ For issues related to Quality Measure report content
 - ◆ Contact the Technical Assistance and Analytic Support Program at
 - ◆ **Email:** MACQualityTA@cms.hhs.gov

MACPro Help Desk



Information to provide in email

- ◆ User contact information (Name, phone number, organization/state, email address, User ID)
- ◆ Authority (SPA, Quality Measures)
- ◆ Extent of problem (Individual desktop, multiple desktops at site, entire site) and description
- ◆ Last screen/tab/navigation activity before problem
- ◆ Error Message (exact verbiage) or screenshot

Next Steps



- ◆ Watch for roles information
- ◆ Look for release announcement
- ◆ Begin reporting
- ◆ Stay tuned for training material and trainings



Questions?

